KOMPLET KOMPATTO 221

Technical Specification





The KOMPATTO SC 221 tracked screening machine is the smallest self-propelled screening plant on the market today. Lightweight, compact-sized and featuring a robust chassis, it was designed for rubble and debris screening of material coming from construction and demolition, excavations waste, compost, asphalt, rock etc. It features a vibrating 2.2×1-mt double deck with, interchangeable screens and meshes to meet all needs, and it also includes three extracting belts.

The KOMPATTO SC 221 model can be directly fed by an excavator or backhoe, it can also be fed by the crusher extraction belt or directly with the processed material. Its versatility, compact size and affordability, makes it unique. It operates in the most limited access areas, processing the same amount of materials as a large and much more expensive machine. It is fully remote controlled, so as to allow a single operator to carry all feeding and screening operations.

Features & Benefits

Tracked Vibrating Screen

Grid Dimensions 2200x1000mm Screening Grid Nº02

Engine Isuzu

Power 21/28,5 kW/Hp Consumption 5,5 L/h Cylinder Nº3 Cooling Water

Performance

Production 80 T/h
Max Size 0-250mm

Weight & Dimensions

Standard Weight (kg): 3200

Rubber Crawled Track (mm): 2100x300

Medium Material Belt (mm): 2500x400

Pile Height (mm): 1100

Folding Belt (mm): 3000x1000

Pile Height (mm): 1755